

Enteral Nutrition in the ICU: COVID-19 Challenges

Presented by Robert Martindale, MD, PhD and Jayshil Patel, MD

References

- Arabi YM, McClave SA. Enteral nutrition should not be given to patients on vasopressor agents. *Crit Care Med*. 2020;48(1):119-121.
- Arabi YM, Aldawood AS, Haddad SH, et al. Permissive underfeeding or standard enteral feeding in critically ill adults. *N Engl J Med*. 2015;372:2398-2408.
- Baillie JK, Digard P. Influenza--time to target the host?. *N Engl J Med*. 2013;369(2):191-193.
- Bhatraju PK, Ghassemieh BJ, Nichols M, et al. Covid-19 in critically ill patients in the Seattle Region - Case Series. *N Engl J Med*. 2020;382(21):2012-2022.
- Chiang N, Fredman G, Bäckhed F, et al. Infection regulates pro-resolving mediators that lower antibiotic requirements. *Nature*. 2012;484(7395):524-528. Published 2012 Apr 25.
- Dalli J, Colas RA, Quintana C, et al. Human sepsis eicosanoid and proresolving lipid mediator temporal profiles: correlations with survival and clinical outcomes. *Crit Care Med*. 2017;45(1):58-68.
- Doig GS, Simpson F, Heighes PT, et al. Restricted versus continued standard caloric intake during the management of refeeding syndrome in critically ill adults: a randomised, parallel-group, multicentre, single-blind controlled trial. *Lancet Respir Med*. 2015;3(12):943-952.
- Hao Q, Dong BR, Wu T. Probiotics for preventing acute upper respiratory tract infections. *Cochrane Database Syst Rev*. 2015;(2):CD006895.
- Kallet RH. A comprehensive review of prone position in ARDS. *Respir Care*. 2015;60(11):1660-1687.
- McClave SA, Taylor BE, Martindale RG, et al. Guidelines for the Provision and Assessment of Nutrition Support Therapy in the Adult Critically Ill Patient: Society of Critical Care Medicine (SCCM) and American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.). *JPEN J Parenter Enteral Nutr*. 2016;40(2):159-211.
- Ohbe H, Jo T, Yamana H, Matsui H, Fushimi K, Yasunaga H. Early enteral nutrition for cardiogenic or obstructive shock requiring venoarterial extracorporeal membrane oxygenation: a nationwide inpatient database study. *Intensive Care Med*. 2018;44(8):1258-1265.
- Patel JJ, Rice T, Heyland DK. Safety and Outcomes of Early Enteral Nutrition in Circulatory Shock [published online ahead of print, 2020 Feb 12]. *JPEN J Parenter Enteral Nutr*. 2020;10.1002/jpen.1793.
- Puthuchery ZA, Astin R, Mcphail MJW, et al. Metabolic phenotype of skeletal muscle in early critical illness. *Thorax*. 2018;73(10):926-935.

Enteral Nutrition in the ICU: COVID-19 Challenges

Presented by Robert Martindale, MD, PhD and Jayshil Patel, MD

References Continued

Rajasagi NK, Reddy PB, Suryawanshi A, Mulik S, Gjorstrup P, Rouse BT. Controlling herpes simplex virus-induced ocular inflammatory lesions with the lipid-derived mediator resolvin E1. *J Immunol.* 2011;186(3):1735-1746.

Reignier J, Boisramé-Helms J, L, al. Enteral versus parenteral early nutrition in ventilated adults with shock: a randomised, controlled, multicentre, open-label, parallel-group study (NUTRIREA-2). *The Lancet.* 2018;391(10116):133-143.

Reignier J, Dimet J, Martin-Lefevre L, et al. Before-after study of a standardized ICU protocol for early enteral feeding in patients turned in the prone position. *Clin Nutr.* 2010;29(2):210-216.

Reignier J, Mercier E, Le Gouge A, et al. Effect of not monitoring residual gastric volume on risk of ventilator-associated pneumonia in adults receiving mechanical ventilation and early enteral feeding: a randomized controlled trial. *JAMA.* 2013;309(3):249-256.

Ruan Q, Yang K, Wang W, Jiang L, Song J. Clinical predictors of mortality due to COVID-19 based on an analysis of data of 150 patients from Wuhan, China [published correction appears in *Intensive Care Med.* 2020 Apr 6;:]. *Intensive Care Med.* 2020;46(5):846-848.

Saez de la Fuente I, Saez de la Fuente J, Quintana Estelles MD, et al. Enteral nutrition in patients receiving mechanical ventilation in a prone position. *JPEN J Parenter Enteral Nutr.* 2016;40(2):250-255.

Serhan CN. Pro-resolving lipid mediators are leads for resolution physiology. *Nature.* 2014;510(7503):92-101.

Singer P, Blaser AR, Berger MM, et al. ESPEN guideline on clinical nutrition in the intensive care unit. *Clin Nutr.* 2019;38(1):48-79.

Taylor BE, McClave SA, Martindale RG, et al. Guidelines for the provision and assessment of nutrition support therapy in the adult critically ill patient: Society of Critical Care Medicine (SCCM) and American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.) *CCM.* 2016;44(2):390-438

Werz O, Gerstmeier J, Libreros S, et al. Human macrophages differentially produce specific resolvin or leukotriene signals that depend on bacterial pathogenicity. *Nat Commun.* 2018;9(1):59. Published 2018 Jan 4.

Wu Z, McGoogan JM. Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in china: summary of a report of 72 314 cases from the Chinese Center for Disease Control and Prevention [published online ahead of print, 2020 Feb 24]. *JAMA.* 2020;10.1001/jama.2020.2648. doi:10.1001/jama.2020.2648