

## Common Challenges Conducting NFPE: Focus On Elderly

### References

- Afilalo J. Conceptual Models of Frailty: The Sarcopenia Phenotype. *Can J Cardiol*. 2016;32(9):1051-1055.
- Artaza-Artabe I, Sáez-López P, Sánchez-Hernández N, et al. The relationship between nutrition and frailty: Effects of protein intake, nutritional supplementation, vitamin D and exercise on muscle metabolism in the elderly. A systematic review. *Maturitas*. 2016;93:89-99.
- Bandeem-Roche K, Seplaki CL, et al. Frailty in older adults: A nationally representative profile in the united states. *J Gerontol A Biol Sci Med Sci*. 2015;70(11):1427-34.
- Batsis JA, Villareal DT. Sarcopenic obesity in older adults: aetiology, epidemiology and treatment strategies. *Nat Rev Endocrinol*. 2018;14(9):513-537.
- Bury C, DeChicco R, Nowak D, et al. Use of bedside ultrasound to assess muscle changes in the critically ill surgical patient. *JPEN J Parenter Enteral Nutr*. 2021;45(2):394-402.
- Cederholm T. Overlaps between Frailty and Sarcopenia Definitions. Nestle Nutr Inst Workshop Ser. 2015;83:65-69.
- Cerri AP, Bellelli G, Mazzone A, et al. Sarcopenia and malnutrition in acutely ill hospitalized elderly: Prevalence and outcomes. *Clin Nutr*. 2015;34(4):745-751.
- Choi KM. Sarcopenia and sarcopenic obesity. *Korean J Intern Med*. 2016;31(6):1054-1060.
- Cruz-Jentoft AJ, Baeyens JP, Bauer JM, et al. Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. *Age Ageing*. 2010;39(4):412-423.
- Cruz-Jentoft AJ, Bahat G, Bauer J, et al. Sarcopenia: revised European consensus on definition and diagnosis. *Age Ageing*. 2019;48(1):16-31.
- Cruz-Jentoft AJ, Sayer AA. Sarcopenia. *Lancet*. 2019;393(10191):2636-2646.
- Dowhan L, DeChicco R, Welsh R, et al. Comparison between handgrip dynamometry and manual muscle testing performed by registered dietitians in measuring muscle strength and function of hospitalized patients. *JPEN J Parenter Enteral Nutr*. 2015;40(7):951-958.
- Drey M, Kaiser MJ. Mangelernährung im Alter [Malnutrition in the elderly]. *Dtsch Med Wochenschr*. 2011;136(5):176-178. German.

## Common Challenges Conducting NFPE: Focus On Elderly

### References Continued

Fried LP, Tangen CM, Walston J, et al. Frailty in older adults: evidence for a phenotype. *J Gerontol A Biol Sci Med Sci*. 2001;56(3):M146-156.

Fukuda T, Bouchi R, Takeuchi T, et al. Sarcopenic obesity assessed using dual energy X-ray absorptiometry (DXA) can predict cardiovascular disease in patients with type 2 diabetes: a retrospective observational study. *Cardiovasc Diabetol*. 2018;17(1):55.

Goodpaster BH, Park SW, Harris TB, et al. The loss of skeletal muscle strength, mass, and quality in older adults: the health, aging and body composition study. *J Gerontol A Biol Sci Med Sci*. 2006;61(10):1059-1064.

Mayhew AJ, Amog K, Phillips S, et al. The prevalence of sarcopenia in community-dwelling older adults, an exploration of differences between studies and within definitions: a systematic review and meta-analyses. *Age Ageing*. 2019;48(1):48-56.

Middleton A, Fritz SL, Lusardi M. Walking speed: the functional vital sign. *J Aging Phys Act*. 2015;(2):314-322.

Morley JE, Vellas B, van Kan GA, et al. Frailty consensus: a call to action. *J Am Med Dir Assoc*. 2013;14(6):392-397.

Rockwood K, Mitnitski A. Frailty in relation to the accumulation of deficits. *J Gerontol A Biol Sci Med Sci*. 2007;62(7):722-727.

Russell MK. Functional assessment of nutrition status. *Nutr Clin Pract*. 2015;30(2):211-218.

Shi S, Afilalo J, Lipsitz LA, et al. Frailty phenotype and deficit accumulation frailty index in predicting recovery after transcatheter and surgical aortic valve replacement. *J Gerontol A Biol Sci Med Sci*. 2019;74(8):1249-1256.

Snider JT, Linthicum MT, Wu Y, et al. Economic burden of community-based disease-associated malnutrition in the United States. *JPEN J Parenter Enteral Nutr*. 2014;38(2 Suppl):77S-85S.

Weiler M, et al. Malnutrition and frailty screening in older adults. *Nutrition Today*. 2020;55(5):244-253.

## Common Challenges Conducting NFPE: Focus On Elderly

### References Continued

#### Websites:

<https://www.census.gov/library/stories/2019/12/by-2030-all-baby-boomers-will-be-age-65-or-older.html>  
Accessed 11/14/20.

<http://clinicaltrials.gov/ct2/show/NCT02508974> Accessed 11/17/20.

[https://www.americashealthrankings.org/explore/senior/measure/obesity\\_sr/state/ALL/](https://www.americashealthrankings.org/explore/senior/measure/obesity_sr/state/ALL/) Accessed 11/17/20.

<https://www.aginginmotion.org/about-the-issue/> Accessed 11/22/20.

<https://www.cancer.gov/about-cancer/treatment/side-effects/appetite-loss/nutrition-hp-pdq> Accessed  
11/17/20.

[https://www.americashealthrankings.org/explore/senior/measure/obesity\\_sr/state/ALL/](https://www.americashealthrankings.org/explore/senior/measure/obesity_sr/state/ALL/) Accessed 11/17/20.

<https://frailtyscience.org/frailty-assessment-instruments> Accessed 11/16/20.