

Pick Your PICS: Mitochondrial Changes, Inflammation and Nutritional Interventions

Presented by Keith Miller, MD, FACS; Martin Rosenthal, MD, FACS;
Beth Taylor, DCN, RD-AP, CNSC, FAND, FASPEN, FCCM

References

Aggarwal V, Tuli HS, Varol A, et al. Role of reactive oxygen species in cancer progression: Molecular mechanisms and recent advancements. *Biomolecules*. 2019;9(11):735.

Balas M, Buckingham R, Braley T, Saldi S, Vasilevskis EE. Extending the ABCDE bundle to the post-intensive care unit setting. *J Gerontol Nurs*. 2013;39(8):39-51.

Barbul A. Proline precursors to sustain Mammalian collagen synthesis. *J Nutr*. 2008;138(10):2021S-2024S.
Bar-Peled L, Sabatini DM. Regulation of mTORC1 by amino acids. *Trends Cell Biol*. 2014;24(7):400-406.

Brealey D, Brand M, Hargreaves I, et al. Association between mitochondrial dysfunction and severity and outcome of septic shock. *Lancet*. 2002;360(9328):219-223.

Brealey D, Karyampudi S, Jacques TS, et al. Mitochondrial dysfunction in a long-term rodent model of sepsis and organ failure. *Am J Phys Regul Integr Comp Phys*. 2004;286(3):R491-497.

Brown JC et al. *Curr Dev Nutr* 2020; 4(Supp 2):1119
(abstract) https://academic.oup.com/cdn/article/4/Supplement_2/1119/5844189

Calder PC. Marine omega-3 fatty acids and inflammatory processes: effects, mechanisms and clinical relevance. *Biochim Biophys Acta*. 2015;1851(4):469-484.

Chaudry IH, Sayeed MM, Baue AE. Depletion and restoration of tissue ATP in hemorrhagic shock. *Arch Surg*. 1974;108(2):208-211.

Corr SC, Li Y, Riedel CU, O'Toole PW, Hill C, Gahan CG. Bacteriocin production as a mechanism for the anti-infective activity of *Lactobacillus salivarius* UCC118. *Proc Natl Acad Sci U S A*. 2007;104(18):7617-21.

Custodero C, Mankowski RT, Lee SA, et al. Evidence-based nutritional and pharmacological interventions targeting chronic low-grade inflammation in middle-age and older adults: A systematic review and meta-analysis. *Ageing Res Rev*. 2018;46:42-59.

Dalli J, Colas RA, Serhan CN. Novel n-3 immunoresolvents: structures and actions. *Sci Rep*. 2013;3:1940.

Davidson GH, Hamlat CA, Rivara FP, et al. Long-term survival of adult trauma patients. *JAMA*. 2011;9;305(10):1001-1007.

Efron PA, Mohr AM, Bihorac A, et al. Persistent inflammation, immunosuppression, and catabolism and the development of chronic critical illness after surgery. *Surgery*. 2018(164)2:178-184.

Pick Your PICS: Mitochondrial Changes, Inflammation and Nutritional Interventions

Presented by Keith Miller, MD, FACS; Martin Rosenthal, MD, FACS;
Beth Taylor, DCN, RD-AP, CNSC, FAND, FASPEN, FCCM

References Continued

Forrester SJ, Kikuchi DS, Hernandez MS, Xu Q, Griendling KK. Reactive oxygen species in metabolic and inflammatory signaling. *Circ Res*. 2018;122(6):877-902.

Fredriksson K, Hammarqvist F, Strigård K, et al. Derangements in mitochondrial metabolism in intercostal and leg muscle of critically ill patients with sepsis-induced multiple organ failure. *Am J Physiol Endocrinol Metab*. 2006;291(5):E1044-1050.

Gentile LF, Cuenca AG, Efron PA, et al. Persistent inflammation and immunosuppression: A common syndrome and new horizon for surgical intensive care. *J Trauma Acute Care Surg*. 2012;72(6):1491-1501.

Golovyan DM, Khan SH, Wang S, et al. What should I address at follow-up of patients who survive critical illness? *Cleve Clin J Med*. 2018;85(7):523-526.

Halpin SJ, McIvor C, Whyatt G, et al. Postdischarge symptoms and rehabilitation needs in survivors of COVID-19 infection: A cross-sectional evaluation. *J Med Virol*. 2021;93(2):1013-1022.

Hasturk H, Kantarci A, Goguet-Surmenian E, et al. Resolvin E1 regulates inflammation at the cellular and tissue level and restores tissue homeostasis in vivo. *J Immunol*. 2007;179(10):7021-7029.

Hasturk H, Kantarci A, Ohira T, et al. RvE1 protects from local inflammation and osteoclast-mediated bone destruction in periodontitis. *FASEB J*. 2006;20(2):401-403.

Hawkins RB, Raymond SL, Stortz JA, et al. Chronic critical illness and the persistent inflammation, immunosuppression, and catabolism syndrome. *Front Immunol*. 2018;9:1511.

Heydon E, Wibrow B, Jacques A, et al. The needs of patients with post-intensive care syndrome: A prospective, observational study. *Aust Crit Care*. 2020;33(2):116-122.

Hotchkiss RS, Swanson PE, Freeman BD, et al. Apoptotic cell death in patients with sepsis, shock, and multiple organ dysfunction. *Critical Care Medicine*. 1999;27(7):1230-1251.

Inoue S, Hatakeyama J, Kondo Y, et al. Post-intensive care syndrome: its pathophysiology, prevention, and future directions. *Acute Medicine and Surgery*. 2019;5(3):233-246.

Jiroutková K, Krajčová A, Ziak J, et al. Mitochondrial function in skeletal muscle of patients with protracted critical illness and ICU-acquired weakness. *Critical Care*. 2015;19:448.

Luiking YC, Poeze M, Dejong CH, et al. Sepsis: an arginine deficiency state? *Crit Care Med*. 2004;32(10):2135-2145.

Pick Your PICS: Mitochondrial Changes, Inflammation and Nutritional Interventions

Presented by Keith Miller, MD, FACS; Martin Rosenthal, MD, FACS;
Beth Taylor, DCN, RD-AP, CNSC, FAND, FASPEN, FCCM

References Continued

Luiking YC, Ten Have GA, Wolfe RR, Deutz NE. Arginine de novo and nitric oxide production in disease states. *Am J Physiol Endocrinol Metab.* 2012;303(10):E1177-1189.

Makarenkova VP, Bansal V, Matta BM, Perez LA, Ochoa JB. CD11b+/Gr-1+ myeloid suppressor cells cause T cell dysfunction after traumatic stress. *J Immunol.* 2006;176(4):2085-94.

Marra A, Pandharipande PP, Girard TD, et al. Co-occurrence of post-intensive care syndrome problems among 406 survivors of critical illness. *Crit Care Med.* 2018;46(9):1393-1401.

Mathias B, Delmas AL, Ozrazgat-Baslanti T, et al. Human myeloid-derived suppressor cells are associated with chronic immune suppression after severe sepsis/septic shock. *Ann Surg.* 2017;265(4):827-834.

Minei JP, Cuschieri J, Sperry J, et al. Inflammation and the host response to injury collaborative research program. The changing pattern and implications of multiple organ failure after blunt injury with hemorrhagic shock. *Crit Care Med.* 2012;40(4):1129-1135.

Miyauchi E, O'Callaghan J, Buttó LF, et al. Mechanism of protection of transepithelial barrier function by *Lactobacillus salivarius*: Strain dependence and attenuation by bacteriocin production. *Am J Physiol Gastrointest Liver Physiol.* 2012;303(9):G1029-1041.

Moonen H and Van Zanten ARH. Mitochondrial dysfunction in critical illness during acute metabolic stress and convalescence: consequences for nutrition therapy. *Curr Opin Crit Care.* 2020, 26(4):346–354.

Moore FA, Sauaia A, Moore EE, et al. Postinjury multiple organ failure: a bimodal phenomenon. *J Trauma.* 1996;40(4):501-510.

Morowitz MJ, Carlisle EM, Alverdy JC. Contributions of intestinal bacteria to nutrition and metabolism in the critically ill. *Surg Clin North Am.* 2011;91(4):771-785, viii.

Mukai T, Asasaka T, Sato E, et al. Inhibition of binding of *Helicobacter pylori* to the glycolipid receptors by probiotic *Lactobacillus reuteri*. *FEMS Immunol Med Microbiol.* 2002;32(2):105-110.

Needham DM, Davidson J, Cohen H, et al. Improving long-term outcomes after discharge from intensive care unit: Report from a stakeholders' conference. *Crit Care Med.* 2012;40(2):502-509.

Orr SK, Butler KL, Hayden D, et al. Gene Expression of proresolving lipid mediator pathways is associated with clinical outcomes in trauma patients. *Crit Care Med.* 2015;43(12):2642-2650.

Pick Your PICS: Mitochondrial Changes, Inflammation and Nutritional Interventions

Presented by Keith Miller, MD, FACS; Martin Rosenthal, MD, FACS;
Beth Taylor, DCN, RD-AP, CNSC, FAND, FASPEN, FCCM

References Continued

Owen AM, Patel SP, Smith JD, et al. Chronic muscle weakness and mitochondrial dysfunction in the absence of sustained atrophy in a preclinical sepsis model. *Elife*. 2019;8:e49920.

Pandol SJ, Saluja AK, Imrie CW, Banks PA. Acute pancreatitis: bench to the bedside. *Gastroenterology*. 2007;132(3):1127-1151.

Pradelli L, Mayer K, Klek S, et al. ω -3 Fatty-Acid Enriched Parenteral Nutrition in Hospitalized Patients: Systematic review with meta-analysis and trial sequential analysis. *JPEN J Parenter Enteral Nutr*. 2020;44(1):44-57.

Puchner B, Sahanic S, Kirchmair R, et al. Beneficial effects of multi-disciplinary rehabilitation in post-acute COVID-19 - an observational cohort study. *Eur J Phys Rehabil Med*. 2021 Jan 15.

Puthuchery ZA, Astin R, Mcphail MJW, et al. Metabolic phenotype of skeletal muscle in early critical illness. *Thorax*. 2018;73(10):926-935.

Ridley EJ, Parke RL, Davies AR, et al. What happens to nutrition intake in the post-intensive care unit hospitalization period? An observational cohort study in critically ill adults. *JPEN J Parenter Enteral Nutr*. 2019;43(1):88-95.

Roca-Agujetas V, de Dios C, Lestón L, et al. Recent insights into the mitochondrial role in autophagy and its regulation by oxidative stress. *Oxid Med Cell Longev*. 2019:3809308.

Rosenthal MD, Bala T, Wang Z, et al. Chronic critical illness patients fail to respond to current evidence-based intensive care nutrition secondarily to persistent inflammation, immunosuppression, and catabolic syndrome. *JPEN J Parenter Enteral Nutr*. 2020;44(7):1237-1249.

Semenza GL, Roth PH, Fang HM, Wang GL. Transcriptional regulation of genes encoding glycolytic enzymes by hypoxia-inducible factor 1. *JBiol Chem*. 1994;269:23757-23763.

Serhan CN, Chiang N. Resolution phase lipid mediators of inflammation: agonists of resolution. *Curr Opin Pharmacol*. 2013;13(4):632-640.

Shaikh NA, Yantha J, Shaikh S, et al. Efficacy of a unique omega-3 formulation on the correction of nutritional deficiency and its effects on cardiovascular disease risk factors in a randomized controlled VASCAZEN® REVEAL Trial. *Mol Cell Biochem*. 2014;396(1-2):9-22.

Sherman PM et al. Unraveling mechanisms of action of probiotics. *NCP* 2009; 24(1): 10-14.

Pick Your PICS: Mitochondrial Changes, Inflammation and Nutritional Interventions

Presented by Keith Miller, MD, FACS; Martin Rosenthal, MD, FACS;
Beth Taylor, DCN, RD-AP, CNSC, FAND, FASPEN, FCCM

References Continued

Singer M. Critical illness and flat batteries. *Crit Care*. 2017;21(Suppl 3):309.

Stanley WC, Recchia FA, Lopaschuk GD. Myocardial substrate metabolism in the normal and failing heart. *Physiol Rev*. 2005;85(3):1093-1129.

Sykes, D.L., Holdsworth, L., Jawad, N. *et al*. Post-COVID-19 Symptom Burden: What is Long-COVID and how should we manage it?. *Lung*. 2021;1-7.

Tao Y, Drabik KA, Waypa TS, *et al*. Soluble factors from *Lactobacillus GG* activate MAPKs and induce cytoprotective heat shock proteins in intestinal epithelial cells. *Am J Physiol Cell Physiol*. 2006;290(4):C1018-1030.

Tardif N, Polia F, Tjader I, *et al*. Autophagy flux in critical illness, a translational approach. *Sci Rep*. 2019; 9:10762.

Taylor B, Preliminary COVID 19 Data: Barnes-Jewish Hospital, 2021; unpublished raw data.

Thiessen SE, Van den Berghe G, Vanhorebeek I. Mitochondrial and endoplasmic reticulum dysfunction and related defense mechanisms in critical illness-induced multiple organ failure. *Biochim Biophys Acta Mol Basis Dis*. 2017;1863(10 Pt B):2534–2545.

Trunkey, D.D. Trauma. Accidental and intentional injuries account for more years of life lost in the U.S. than cancer and heart disease. Among the prescribed remedies are improved preventive efforts, speedier surgery and further research. *Scientific American*. 1983;249:28-35.

Valeur N *et al*. Colonization and immunomodulation by *Lactobacillus reuteri* ATCC 55730 in the human gastrointestinal tract. *Appl Environ Microbiol*. 2004;70(2):1176-1181.

van Zanten ARH, De Waele E, Wischmeyer PE. Nutrition therapy and critical illness: practical guidance for the ICU, post-ICU, and long-term convalescence phases. *Crit Care*. 2019;23(1):368.

Welch KC Jr, Altshuler DL, Suarez RK. Oxygen consumption rates in hovering hummingbirds reflect substrate-dependent differences in P/O ratios: carbohydrate as a 'premium fuel'. *J Exp Biol*. 2007;210(Pt 12):2146-2153.

White LE, Hassoun HT, Bihorac A, *et al*. Acute kidney injury is surprisingly common and a powerful predictor of mortality in surgical sepsis. *J Trauma Acute Care Surg*. 2013;75(3):432-438.

Pick Your PICS: Mitochondrial Changes, Inflammation and Nutritional Interventions

Presented by Keith Miller, MD, FACS; Martin Rosenthal, MD, FACS;
Beth Taylor, DCN, RD-AP, CNSC, FAND, FASPEN, FCCM

References Continued

Yende S, Austin S, Rhodes A, et al. Long-term quality of life among survivors of severe sepsis: analyses of two international trials. *Crit Care Med*. 2016;44(8):1461-1467.

Zaborin A, Krezalek M, Hyoju S, Defazio JR, Setia N, Belogortseva N, Bindokas VP, Guo Q, Zaborina O, Alverdy JC. Critical role of microbiota within cecal crypts on the regenerative capacity of the intestinal epithelium following surgical stress. *Am J Physiol Gastrointest Liver Physiol*. 2017;312(2):G112-G122.

Zhu X, Pribis JP, Rodriguez PC, et al. The central role of arginine catabolism in T-cell dysfunction and increased susceptibility to infection after physical injury. *Ann Surg*. 2014;259(1):171-178.

Websites :

[Homepage | Deranged Physiology](#)

https://commons.wikimedia.org/wiki/File:Medieval_Jain_temple_Anekantavada_doctrine_artwork.jpg

Critical Care statistics, www.sccm.org