

## Alfamino

0-12 months of age







Easily prepare the amount your baby needs

1

fl oz water

1 O l scoop powder

A hypoallergenic amino acid-based formula with a unique lipid blend for infants with cow's milk protein allergy (CMPA), multiple food allergies, or malabsorptive conditions







# Alfamino

### 0-12 months of age

#### **DIRECTIONS FOR PREPARATION AND USE:**

Always wash your hands and utensils before preparing formula. For oral or tube feeding. Use under medical supervision.



#### STEP 1 Pour desired amount of water into bottle. See

chart below.



STEP 2 Add 1 unpacked level scoop (4.7g) of powder for each 1 fl oz water.

(Only use enclosed scoop.)



#### STEP 3

Cap bottle: SHAKE WELL. Feed baby immediately.

Once feeding begins, use contents within 1 hour or discard.

#### **MIXING GUIDE:**

TO MAKE APPROX.:	MEASURE WATER	ADD POWDER
<b>2</b> fl oz bottle	<b>2</b> fl oz	<b>2</b> unpacked level scoops
<b>4</b> fl oz bottle	<b>4</b> fl oz	<b>4</b> unpacked level scoops
<b>6</b> fl oz bottle	<b>6</b> fl oz	<b>6</b> unpacked level scoops
<b>8</b> fl oz bottle	<b>8</b> fl oz	<b>8</b> unpacked level scoops

**NOTE:** Only if necessary, refrigerate freshly prepared bottle and use contents within 24 hours. Refrigerator temperatures should be maintained between 35-40° F (2-4° C). Re-shake bottle before feeding.



**SCOOP WEIGHT:** 4.7g. 1 unpacked level scoop added to 1 fl oz of water makes approximately 1 fl oz. When mixed as directed, makes approximately 94 fl oz (2.9qt)

WARNING: Your baby's health depends on carefully following the preparation, use, and storage instructions. Failure to follow these instructions could result in severe harm.

Consult your baby's doctor about the appropriate formula for your baby. Powdered infant formulas are not sterile and should not be fed to premature infants or infants who may have immune problems unless directed and supervised by your baby's doctor. Sterilization or boiling of tap or bottled water and sterilization of utensils is recommended. Your doctor will advise if it is not required. If boiling water, bring to a rolling boil for 1 minute and cool before preparing formula.

Do not use microwave to warm formula. Serious burns may result.

**STORAGE:** Tightly cover open can and use within 1 month. Store open and unopened cans in a cool, dry place. Avoid extreme storage temperatures.

IMPORTANT NOTICE: Mothers should be encouraged to continue breastfeeding even when their infants have cow's milk protein allergy. This usually requires dietary counseling to completely exclude all sources of cows' milk protein from the mother's diet. If a decision to use specialty formulas is taken, it must be used under medical supervision.





### **Extensive HA®**

### Complete nutrition for babies with cow's milk protein allergy



Easily prepare the exact amount baby needs



For more information, contact your Nestlé Health Science sales representative or call 1-877-463-7853

Available in store or online at these retailers:













NestleNutritionStore.com

Order Samples through: NestleMedicalHub.com/Samples

#### **ORDERING INFORMATION**

PRODUCT	PRODUCT	CASE UPC CODE	EACH UPC	NDC FORMAT	HCPCS
DESCRIPTION	CODE	(GTIN)	CODE	NUMBER	CODE
Extensive HA® UNFLAVORED • 6 x 400 g	5000048519	00050000485192	050000598526	50000-0598-52	B4161



## **Extensive HA®**

Nutrición completa para bebés con alergia a la proteína de la leche de vaca



Prepare fácilmente la cantidad exacta que necesita el bebé



Para más información, contacte su representante de ventas de Nestle Health Science, o llame al 1-877-463-7853

Disponible en los siguientes minoristas online o en tiendas:











amazon

NestleNutritionStore.com

Solicita muestras a través de: NestleMedicalHub.com/Samples

#### ORDERING INFORMATION

PRODUCT	PRODUCT	CASE UPC CODE	EACH UPC	NDC FORMAT	HCPCS
DESCRIPTION	CODE	(GTIN)	CODE	NUMBER	CODE
Extensive HA® UNFLAVORED • 6 x 400 g	5000048519	00050000485192	050000598526	50000-0598-52	B4161