

Surgical Nutrition Intervention: Standard of Care

References

- Alito Aprelino M, de Aguilar-Nascimento JE. Multimodal perioperative care plus immunonutrition versus traditional care in total hip arthroplasty: a randomized pilot study. *Nutrition Journal*. 2016;15:34.
- Amer MA, Smith MD, Herbison GP, et al. Network meta-analysis of the effect of preoperative carbohydrate loading on recovery after elective surgery *Br J Surg*. 2017;104(3):187-197.
- August DA, Huhmann MB, et al. A.S.P.E.N. clinical guidelines: nutrition support therapy during adult anticancer treatment and in hematopoietic cell transplantation. *J Parenter Enteral Nutr*. 2009;33(5):472-500.
- Banerjee S, Garrison LP, Danel A, et al. Effects of arginine-based immunonutrition on inpatient total costs and hospitalization outcomes for patients undergoing colorectal surgery. *Nutrition*. 2017;42:106-113.
- Bansal V, Syres K, Makarenkova V, et al. Interactions between fatty acids and arginine metabolism: implications for the design of immune-enhancing diets. *J Parenter Enteral Nutr*. 2005;29:S75-S80.
- Bertrand J, Siegler N, Murez T, et al. Impact of preoperative immunonutrition on morbidity following cystectomy for bladder cancer: a case-control pilot study. *World J Urol*. 2014;32:233-237.
- Berwick DM, Nolan TW, Whittington J. The triple aim: care, health, and cost. *Health Affairs*. 2008;27(3):759-769.
- Bilbo A, Kavanaugh E, Martin K. Enhanced recovery after surgery: does the provision of an immune-modulating protein supplements improve post-operative outcomes? [abstract]. In: Enhanced Recovery After Surgery (ERAS USA); 2019 Nov 8-10; New Orleans, Louisiana.
<https://erasusa.org/congress/Program/2018/P18.cgi>
- Braga M, et. al. Preoperative oral arginine and n-3 fatty acid supplementation improves the immunometabolic host response and outcome after colorectal resection for cancer. *Surg*. 2002;132:805-814.
- Calder PC. Marine omega-3 fatty acids and inflammatory processes: Effects, mechanisms and clinical relevance. *Biochimica et Biophysica Acta*. 2015;469-484.
- Casas-Rodera P, Gómez-Candela C, Benítez S, et al. Immunoenhanced enteral nutrition formulas in head and neck cancer surgery: a prospective, randomized clinical trial. *Nutr Hosp*. 2008;23:105-110.
- Cerantola Y, Hübner, F, Grass, N, et al. The effects of enteral immunonutrition in upper gastrointestinal surgery: A systematic review and meta-analysis. *Brit J Surg*. 2011;98(1):37-48.
- Chapman JS, Roddy E, Westhoff G, et al. Post-operative enteral immunonutrition for gynecologic oncology patients undergoing laparotomy decreases wound complications. *Gynecologic Oncology*. 2015;137:523-528.

Surgical Nutrition Intervention: Standard of Care

References Continued

Daly JM, Reynolds J, Sigal RK, et al. Effect of dietary protein and amino acids on immune function. *Crit Care Med*. 1990;18:S86-S93.

de Lissovoy G, Fraeman K, Hutchins V, et al. Surgical site infection: incidence and impact on hospital utilization and treatment costs. *Am J Infect Control*. 2009;37:387-397.

de Luis DA et al. Postsurgery enteral nutrition in head and neck cancer patients. *Eur J Clin Nutr*. 2002;56:1126-1129.

de Luis DA, Izaola O, Cuellar L, et al. Clinical and biochemical outcomes after a randomized trial with a high dose of enteral arginine formula in postsurgical head and neck cancer patients. *Eur J Clin Nutr*. 2007;61:200-204.

de Luis DA, Izaola O, Cuellar L, et al. High dose of arginine enhanced enteral nutrition in postsurgical head and neck cancer patients. A randomized clinical trial. *Eur Rev Med Pharmacol Sci*. 2009;13:279-283.

de Luis DA, Izaola O, Cuellar L, et al. Randomized clinical trial with an enteral arginine-enhanced formula in early postsurgical head and neck cancer patients *Eur J Clin Nutr*. 2004;58:1505-1508.

Drover JW, Dhaliwal R, Weitzel L, et al. Perioperative use of arginine-supplemented diets: a systematic review of the evidence. *J Am Coll Surg*. 2011;212(3):385-399.

Eappen S, Lane B, Rosenberg B, et al. Relationship between occurrence of surgical complications and hospital finances. *JAMA*. 2013;309(15):1599-1606.

Engel DR, Koscielny A, Wehner S, et al. T helper type 1 memory cells disseminate postoperative ileus over the entire intestinal tract. *Nature Med*. 2010;16:1407-1413.

Forstermann U, Sessa WC. Nitric oxide synthases: regulation and function. *Eur Heart J*. 2012;33(7):829-837.

Gentile LF, Cuenca AG, Efron PA, et al. Persistent inflammation and immunosuppression: a common syndrome and new horizon for surgical intensive care. *J Trauma Acute Care Surg*. 2012;72(6):1491-1501.

Gil A. Modulation of the immune response mediated by dietary nucleotides. *Eur J Clin Nutr*. 2002;56(Suppl 3):S1-4.

Hamilton-Reeves JM, Bechtel MD, Hand LK, et al. Effects of immunonutrition for cystectomy on immune response and infection rates: a pilot randomized controlled clinical trial. *Euro Urol*. 2016;69(3):389-392.

Surgical Nutrition Intervention: Standard of Care

References Continued

Hess JR, Greenberg NA. The role of nucleotides in the immune and gastrointestinal systems: potential clinical applications. *Nutr Clin Pract.* 2012;27(2):281-294.

Heyland DK, Drover JW, MacDonald S, Novak F, Lam M. Effect of postpyloric feeding on gastroesophageal regurgitation and pulmonary microaspiration: results of a randomized controlled trial. *Crit Care Med.* 2001;29(8):1495-1501.

Kassin MT, Owen RM, Perez SD, et al. Risk factors for 30-day hospital readmission among general surgery patients. *J Am Coll Surg.* 2012;215(3):322-330.

Kelley KE, Fajardo AD, Strange NM, et al. Impact of a novel preoperative patient-centered surgical wellness program. *Ann Surg.* 2018;268(4):650-656.

Klek S, Kulig J, Sierzega M, et al. Standard and immunomodulating enteral nutrition in patients after extended gastrointestinal surgery--a prospective, randomized, controlled clinical trial. *Clin Nutr.* 2008;27:504-512.

Kwon S, Thompson R, Dellinger P, et al. Importance of perioperative glycemic control in general surgery: a report from the Surgical Care and Outcomes Assessment Program. *Ann Surg.* 2013;257:8-14.

Lassen K, Coolen MM, Slim K, et al. Guidelines for perioperative care for pancreaticoduodenectomy: Enhanced Recovery After Surgery (ERAS®) Society recommendations. *Clin Nutr.* 2012;31(6):817-830.

Li L, Wang Z, Ying X, et al. Preoperative carbohydrate loading for elective surgery: a systematic review and meta-analysis. *Surg Today.* 2012;42:613-624.

Lobo DN, Williams RN, Welch NT, et al. Early postoperative jejunostomy feeding with an immune modulating diet in patients undergoing resectional surgery for upper gastrointestinal cancer: a prospective, randomized, controlled, double-blind study. *Clin Nutr.* 2006;25(5):716-726.

Majumder A, Fayeizadeh M, Neupane R, et al. Benefits of multimodal enhanced recovery pathway in patients undergoing open ventral hernia repair. *J Am Coll Surg.* 2016;222(6):1106-1115.

Makarenkova VP, Bansal V, Matta BM, Perez LA, Ochoa JB. Myeloid suppressor lines inhibit T cell responses by an NO-dependent mechanism. *J Immunol.* 2006;176:2085-2094.

Marik PE, Zaloga GP. Immunonutrition in high risk surgical patients: a systematic review and analysis of the literature. *J Parenter Enteral Nutr.* 2010;34(4):378-386.

Surgical Nutrition Intervention: Standard of Care

References Continued

Marimuthu K, Varadhan KK, Ljungqvist O, Lobo DN. A meta-analysis of the effect of combinations of immune modulating nutrients on outcome in patients undergoing major open gastrointestinal surgery. *Ann Surg.* 2012;255(6):1060-1068.

Mauskopf J, Candrill SD, Chevrou-Severac H, et al. Immunonutrition for patients undergoing elective surgery for gastrointestinal cancer: impact on hospital costs. *World J Surg Oncol.* 2012;10:136.

Mazaki T, Ishii Y, Murai I. Immunoenhancing enteral and parenteral nutrition for gastrointestinal surgery: a multiple-treatments meta-analysis.. *Ann Surg.* 2015;261(4):662-669.

McClave SA, Taylor BE, Martindale RG, et al. Guidelines for the Provision and Assessment of Nutrition Support Therapy in the Adult Critically Ill Patient: Society of Critical Care Medicine (SCCM) and American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.). *J Parenter Enteral Nutr.* 2016;40(2):159-211.

McClave SA, Kozar RA, Martindale RG, et al. Summary points and consensus recommendations from the North American Surgical Nutrition Summit. *J Parenter Enteral Nutr.* 2013;37(1):99S-105S.

Miller T, Thacker JK, White WD, et al. Reduced length of hospital stay in colorectal surgery after implementation of an enhanced recovery protocol. *Anesth Analg.* 2014;118(5):1052-1061.

Ochoa JB, Makarenkova V, Bansal V. A rational use of immune enhancing diets: when should we use dietary arginine supplementation? *NCP.* 2004;19(3):216-225.

Osland E, Hossain MB, Khan S, et al. Effect of timing of pharmaconutrition (immunonutrition) administration on outcomes of elective surgery for gastrointestinal malignancies: a systematic review and meta-analysis. *J Parenter Enteral Nutr.* 2014;38:53–69.

Popovich PJ, Zeh HJ 3rd, Ochoa JB. Arginine and immunity. *J Nutr.* 2007;137(6 Supp 2):1681S-1686S. Riso S, et al. Immunoenhanced enteral nutrition formulas in head and neck cancer surgery; a systematic review. *Clin Nutr.* 2000;19:407-412.

Rowan NR, Johnson JT, Fratangelo CE, et al. Utility of a perioperative nutritional intervention on postoperative outcomes in high-risk head & neck cancer patients. *Oral Onc.* 2016;54:42-46.

Santora R, Kozar RA. Molecular mechanisms of pharmaconutrients. *J Surg Res.* 2010;161:288-294.

Surgical Nutrition Intervention: Standard of Care

References Continued

Schwartz S, Epstein S, Corkey B, et al. Unified pathophysiological construct of diabetes and its complications. *Trends Endocrinol Metab.* 2017;28(9):645-655.

Smith MD, McCall J, Plank L, et al. Preoperative carbohydrate treatment for enhancing recovery after elective surgery. *Cochrane Database Syst Rev.* 2014;14;(8):CD009161.

Taylor BE, McClave SA, Martindale RG, et al. Guidelines for the Provision and Assessment of Nutrition Support Therapy in the Adult Critically Ill Patient: Society of Critical Care Medicine (SCCM) and American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.) *CCM.* 2016;44(2):390-438.

Thiele RH, Raghunathan K, Brudney CS, et al. American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) joint consensus statement on perioperative fluid management within an enhanced recovery pathway for colorectal surgery. *Perioperative Medicine.* 2016;5: 24.

Thiele RH, Rea KM, Turrentine FE, et al. Standardization of care: impact of an enhanced recovery protocol on length of stay, complications, and direct costs after colorectal surgery. *J Am Coll Surg.* 2015;220:430-443.

Thornblade LW, Varghese TK Jr, Shi X, et al. Preoperative immunonutrition and elective colorectal resection outcomes. *Dis Colon Rect.* 2017;60(1):68-75.

Van Bokhorst De van der Schueren MA, et al. Effect of perioperative nutrition, with and without arginine supplementation, on nutritional status, immune function, postoperative morbidity, and survival in severely malnourished head and neck cancer patients. *Am J Clin Nutr.* 2001;73(2):323-332.

Waitzberg DL, Saito H, Plank LD, et al. Postsurgical infections are reduced with specialized nutrition support. *World J Surg.* 2006;30:1592-1604.

Weiss AJ, Elixhauser A, Andrews RM. Characteristics of operating room procedures in U.S. hospitals, 2011. *HCUP. Statistical Brief #170.* 2014:1-12.

Wick EC, Shore A, Hirose K, Ibrahim, A, et al. Readmission rates and cost following colorectal surgery. *Dis Colon Rectum.* 2011;54(12):1475-1479.

Wong CS, Aly EH. The effects of enteral immunonutrition in upper gastrointestinal surgery: a systematic review and meta-analysis. *Int J Surg.* 2016;29:137-150.

Wu G, Bazer FW, Davis TA, et al. Arginine metabolism and nutrition in growth, health and disease. *Amino Acids.* 2009;37:153-168.

Surgical Nutrition Intervention: Standard of Care

References Continued

Zhang Q, Ma YY, Wang HJ, et al. Meta-analysis of the association between P53 codon 72 polymorphisms and gastric cancer. *J Surg Oncol*. 2013;107(4):360-366.

Zhu X, Pribis JP, Rodriguez PC, et al. The central role of arginine catabolism in T-cell dysfunction and increased susceptibility to infection after physical injury. *Ann Surg*. 2014;259(1):171-178.

Zhuang CL, Ye XZ, Zhang XD, et al. Enhanced recovery after surgery programs versus traditional care for colorectal surgery: a meta-analysis of randomized controlled trials. *Dis Colon Rectum*. 2013;56(5):667-678.

Websites

https://www.cms.gov/Medicare/Medicare-Fee-for-ServicePayment/HospitalAcqCond/Downloads/FY_2013_Final_HACsCodeList.pdf

<https://www.federalregister.gov/articles/2015/11/24/2015-29438>

<https://www.cms.gov/medicare/medicare-fee-for-service-payment/acuteinpatientpps/readmissions-reduction-program.html>

<https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/HAC-Reduction-Program.html>

www.facs.org/quality-programs/strong-for-surgery

<http://aserhq.org/>